


HEALTH IMPACT OF SELECTED INTERVENTIONS TO ADDRESS UNHEALTHY FOOD ENVIRONMENTS IN BELGIUM

use of population impact fractions

Why health impact assessment is important?

The societal responsibility of living in an obesogenic environment






Time





Computing avoidable burden

Using comparative risk assessment





Fix increase in price of 20% in sugar and sweetened beverages



Model a tax that depends on the amount of sugar of beverages

- Starting from 5gr every 5gr of sugar there is 20% increase




Mandatory front-of-package Nutriscore





Data needs






Impact of interventions on population BMI

	Baseline		Labelling		Volumetric tax on SSB		Tax on sugar content of SSB	
All	25.9		25.6 (p<0.0001)		25.6 (p<0.0001)		25.5 (p<0.0001)	
Age- groups	Female	Male	Female	Male	Female	Male	Female	Male
15-34	24.2	23.9	23.8	23.5	23.8	23.3	23.7	23.2
35-54	25.9	27.4	25.6	27.1	25.7	27.1	25.7	27.0
55-64	27.7	28.7	27.4	28.3	27.6	28.4	27.6	28.4



Population impact fractions





Knowledge translation


Engage stakeholders throughout the process



- Selection of the interventions
- Qualitative evaluation of the interventions

Communication of results to stakeholders











Thank you for the attention

Vanessa Gorasso • vanessa.gorasso@sciensano.be



Backup

The avoidable burden

